

**ZHEJIANG PORPHIS INTERNATIONAL TRADE CO., LTD**

Add: Building 20B, Hongtaike Park, 889 Central Avenue, Jinqing  
Town, Luqiao District, Taizhou City, Zhejiang Province

MT: +86 158 2452 7280

Tel: +86-0574-2885-388

[WWW.PORPHIS.COM](http://WWW.PORPHIS.COM)



**PORPHIS**

PAINTING THE FUTURE



[www.porphis.com](http://www.porphis.com)

# 3 mins


you will find that Porphis spray guns are more than just good looks.

## KEY OF THE SYMBOLS USED:

-  body shop
-  building
-  touch-up
-  decoration
-  industry
-  woodworking
-  D.I.Y.
-  paint type


1

### Break out of the shell system



2

### Manufacturing process system




3

### Quality management system




4

### Digital informatim system




5

### Permanent security system







# ABOUT US

Zhejiang Porphis International Trade Co., Ltd. is the only international import and export trade platform established by Taizhou Chaotian Pneumatic Tools Co., Ltd. In recent years, based on product innovation and service as our purpose, we have insisted on developing an international brand road, and our independent brand "Porphis" has also emerged in the international market. With continuous establishment of deep business with many internationally renowned enterprises, we will continue to break through new stages!



• Factory



• Honorary Certificates





# BRAND STORY

Our story began in 2008, when eight spray gun technicians, driven by a passion for quality and technology development, embarked on a journey to manufacture spray guns. Through our deep specialization in automotive refinishing and industrial coating, we established a strong presence in the Chinese spray gun market.

With a commitment to technological exchange, the need was felt to open the company to the international market for resonate with more professional partners, leading to the birth of the Porphis brand.

We pay attention to the changing market demands and listen to user's feedback. Establishing a data-driven information collection system is the foundation of our continuous R&D efforts, enabling us to consistently update our products and better serve our partners.



### Philosophy:

Committed to advancing spray technology while minimizing environmental impact and enhancing the user experience

### Positioning:

One-Stop Spray Gun Supplier



### Vision:

Painting the future Porphis spray guns lead the way

### Mission:

Eliminating the Prejudices Associated with Chinese Manufacturing

# CONTENTS

<p>&gt; <b>01</b> <b>AUTOMOTIVE REFINISHING SPRAY GUN</b></p> <ul style="list-style-type: none"> <li>MINI SPRAY GUNS <b>P01</b></li> <li>PRD SPRAY GUNS <b>P02-04</b></li> <li>PHS SPRAY GUNS <b>P05</b></li> <li>PA/PB/PC/PD SPRAY GUNS <b>P06-09</b></li> </ul>	<p>&gt; <b>04</b> <b>SPRAY GUN KIT</b></p> <ul style="list-style-type: none"> <li>ALUMINUM CASES <b>P20</b></li> <li>PLASTIC CASES <b>P21</b></li> </ul>
<p>&gt; <b>02</b> <b>INDUSTRIAL SPRAY GUN</b></p> <ul style="list-style-type: none"> <li>TOP QUALITY <b>P10-14</b></li> <li>COST-EFFECTIVE <b>P15</b></li> <li>AUTOMATIC SPRAY GUNS <b>P16</b></li> </ul>	<p>&gt; <b>05</b> <b>SPRAY GUN ACCESSORIES</b></p> <ul style="list-style-type: none"> <li>PAINT MIXING CUP <b>P22</b></li> <li>PAINT CUPS <b>P23</b></li> <li>CLEANING KIT <b>P24</b></li> <li>FILTER&amp;REGULATOR <b>P24-25</b></li> <li>SPRAY GUN STAND <b>P25</b></li> <li>MPS ADAPTER <b>P26</b></li> </ul>
<p>&gt; <b>03</b> <b>CONVENTIONAL SPRAY GUN</b></p> <ul style="list-style-type: none"> <li>ECONOMICAL HVLP SPRAY GUN <b>P17</b></li> <li>AIR BLOWING GUNS <b>P18</b></li> <li>TYRE INFLATING GUNS <b>P18</b></li> <li>SANDBLASTING GUNS <b>P18</b></li> <li>AIRBRUSH PAINT GUNS <b>P19</b></li> <li>PARAFFIN WASHING GUNS <b>P19</b></li> </ul>	



# AUTOMOTIVE REFINISHING SPRAY GUN

## AUTOMOTIVE REFINISHING SPRAY GUN



HVLP

MP

LVLP

VS



## AUTOMOTIVE REFINISHING SPRAY GUN



# MINI SPRAY GUN MPH-338

## L.V.L.P SPRAY GUN

### FEATURE



- Gun body design is more ergonomic, wider handle. better hand feeling
- The newly added needle tightening screw design allows for quick locking of fluid volume. It takes only 1.2 turns to fully open the spray pattern.
- Precision-machined needle&nozzle and trigger are made of high-grade stainless steel; Patented needle packing nut set for extended service life
- Utilizing LVLP technology, reduce the overspray, save much paint. Various nozzle sizes can be selected for fine atomization.







### SPECIFICATION

ITEM.NO	
Type	Gravity
Nozzle size mm	0.5/0.8/1.0
Capacity(ML)	250
Operating Pressure (PSI)	15~22
Air Consumption L/min	160l/min 5.7CFM
Fluid Consumption ml/min	35/55/75



# PRD-71

-  Wide Pattern
-  2-FINGER TRIGGER
-  High Grade S.S Tip & Needle
-  Waterborne Compatible



## FEATURE

- Can be used for water-based paint. Better for clearcoat and basecoat. Spray fast, improve work efficiency
- Forged gun body. Needle & Nozzle, fluid passage, trigger are all stainless steel
- Stainless steel swivel air inlet connector, anti-tangling, durable
- Patented precision fluid adjustment design
- Patented fluid packing nut set & Updated air valve structure provides better sealing and smooth trigger operation

## ATOMIZATION AREA



## SPECIFICATION





ITEM.N	PRD-715	PRD-716	PRD-717
Type	HVLP	MP	VS
Nozzle size mm	1.3/1.4	1.3	1.3/1.4
Operating Pressure (PSI)	22-32	23-32	8-29
Air Consumption L/min	290/10.5 CFM	430/15.2 CFM	430/15.2 CFM
Fluid Consumption ml/min	215	190	175
Spray Distance mm	180	170	130-150
Spray Pattern mm	260-300	260-290	260-350



Color



# PRD-62


-  Wide Pattern
-  2-FINGER TRIGGER
-  High Grade S.S Tip & Needle
-  Waterborne Compatible



## FEATURE

- Designed for premium automotive paints, water-based and solvent-based paints
- Forged gun body. Needle & Nozzle, fluid passage, trigger are all stainless steel
- Stainless steel swivel air inlet connector, anti-tangling, durable
- Patented appearance design
- Patented Air-Valve integrated structure & Patented fluid packing nut set provides better sealing & well operated

## ATOMIZATION AREA



## SPECIFICATION

ITEM.NO	PRD-625	PRD-626	PRD-627
Type	MP	HVLP	VS
Nozzle size mm	1.3/1.4	1.3	1.3/1.4
Operating Pressure (PSI)	22-32	23-32	8-29
Air Consumption L/min	290/10.5 CFM	430/15.2 CFM	430/15.2 CFM
Fluid Consumption ml/min	215	190	175
Spray Distance mm	180	170	130-150
Spray Pattern mm	260-300	260-290	260-350



Color





# PRD-51

- Wide Pattern
- 2-FINGER TRIGGER
- High Grade S.S Tip & Needle
- Waterborne Compatible

PRD-510 Replaceable PRD-515




**Color**



## FEATURE

- Patented Variable Fluid Flow Technology. Conveniently switch between MP spray gun and LVLP touch-up spray gun as needed
- Designed for premium automotive paints, water-based and solvent-based paints
- Forged gun body. Needle & Nozzle, fluid passage, trigger are all stainless steel
- Stainless steel swivel air inlet connector, anti-tangling, durable
- Patented Air-Valve integrated structure provides better sealing & well operated

## ATOMIZATION AREA



## SPECIFICATION

ITEM.NO	PRD-510	PRD-515
Type	LVLP	MP
Nozzle size mm	0.8/1.0	1.3/1.4/1.6/1.8
Operating Pressure (PSI)	15-22	23-32
Air Consumption L/min	160/5.7 CFM	230/10.5 CFM
Fluid Consumption ml/min	60	215-290
Spray Distance mm	120-150	180
Spray Pattern mm	120-200	260-300



OPTIONAL

# PHS-155

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.4/1.6/1.8
Operating Pressure(BAR/PSI):	23-31
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	230-240
Spray Distance mm:	180
Spray Pattern mm:	210-250/230-270



OPTIONAL

# PHS-135

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6/1.8/2.0/2.5
Operating Pressure(BAR/PSI):	23-31
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	200/225/275
Spray Distance mm:	180
Spray Pattern mm:	230-260/240-280



# PA-225G

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6/1.8/2.0
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	175
Spray Distance mm:	180
Spray Pattern mm:	280



# PA-225S

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6/1.8/2.0
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	165
Spray Distance mm:	180
Spray Pattern mm:	280



# PA-215

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.5CFM
Fluid Consumption ml/min:	205/255
Spray Distance mm:	180
Spray Pattern mm:	280/290



# PB-315

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6/1.8/2.0
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.5CFM
Fluid Consumption ml/min:	205/255/300
Spray Distance mm:	180
Spray Pattern mm:	280/290





# PC-415

## SPECIFICATION

TYPE:	MP/HVLP
Nozzle Size mm:	1.3
Operating Pressure(BAR/PSI):	22-32
Air Consumption L/min:	430/15.2CFM 290/10.5CFM
Fluid Consumption ml/min:	190/215
Spray Distance mm:	170/180
Spray Pattern mm:	260-300



# PX-6

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3
Operating Pressure(BAR/PSI):	23-29
Air Consumption L/min:	290/10.5CFM
Fluid Consumption ml/min:	205/255/300
Spray Distance mm:	150-210
Spray Pattern mm:	280-320



# PD-115

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	205
Spray Distance mm:	180
Spray Pattern mm:	280



# PD-125

## SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	205
Spray Distance mm:	180
Spray Pattern mm:	280

**INDUSTRIAL SPRAY GUN**

# INDUSTRIAL SPRAY GUN

WP99 Seires High-performance industrial

All can be used with a pressure pot and diaphragm pump

The gun is small, light, compact and simple.

## W-101G



## W-101S



### FEATURE

- Balanced, lightweight gun body
- VOC-compliant, significantly more than 65% efficiency
- Linear fan adjustment precise control and responsive fineadjustment
- Air valve seat set patent structure with a solvent resistantsealing



### ATOMIZATION AREA



C-type pattern

### SPECIFICATION

ITEM.NO	W-101G	W-101S	W-101P
Type	Gravity	Suction	Pressure
Nozzle size mm	0.8/1.0 1.3/1.5/1.8	0.8/1.0 1.3/1.5/1.8	0.8/1.0 1.3/1.5
Operating Pressure (PSI)	36	36	36
Air Consumption L/min	75-225 2.6-7.9CFM	75-225 2.6-7.9CFM	75-225 2.6-7.9CFM
Spray Width mm	100-175	100-175	190-240
Application	Light industry,hob. by Automotive refinishing, Wood and furniture,met. als,plastics	Light industry,hob. by Automotive refinishing, Wood and furniture,met. als,plastics	Car OEM,Wood and furniture,met. als,plastics, medium-vis. cosity paints



# WP99-G



## FEATURE

- Large and uniform flat & thin spray pattern
- Available with split nozzle technology
- VOC-compliant, significantly more than 65% efficiency
- Linear fan adjustment precise control and responsive fineadjustment
- Air valve seat set patent structure with a solvent resistantsealing



## ATOMIZATION AREA



V-type pattern



C-type pattern

## SPECIFICATION

ITEM.NO	WP99-P	WP99-G	WP99-S	WP99-V
Type	Pressure	Gravity	Suction	Gravity
Nozzle size mm	1.0/1.2/1.3	1.5/1.8 2.0/2.5	1.5/1.8 2.0/2.5	1.3/1.4
Operating Pressure (PSI)	42	42	42	22-29
Air Consumption L/min	450-500 15.9-17.7CFM	290-320 10.2-11.3CFM	330-360 11.7-12.7CFM	370 13.1CFM
Fluid Consumption ml/min	160-500	250-510	240-440	195-200
Spray Width mm	300-400	270-310	260-295	320
Application	Large parts and vehi. cles, line painting	Automotive refinishing, wood and furniture, plastic	Metals, wood, furniture, and medium-vis. cosity paints	Automotive repairing, waterborne paint, silver paint, high-viscosity paint



# W-71G PRO

## SPECIFICATION

TYPE:	Gravity
Nozzle Size mm:	1.0/1.3/1.5/1.8
Operating Pressure(PSI):	51
Air Consumption L/min:	75-220 2.6-7.8CFM
Max. Spray Width mm	120-180
Spray Distance mm:	200
Capacity of Paint Cup ML/CC	400

# W-71S PRO

## SPECIFICATION

TYPE:	Suction
Nozzle Size mm:	1.0/1.3/1.5/1.8
Operating Pressure(PSI):	51
Air Consumption L/min:	75-230 2.6-8.1CFM
Max. Spray Width mm	100-170
Spray Distance mm:	200
Capacity of Paint Cup ML/CC	600



## W-77G PRO

### SPECIFICATION

TYPE:	Gravity
Nozzle Size mm:	1.5/2.0/2.5/3.0
Operating Pressure(PSI):	51
Air Consumption L/min:	190-400 6.7-14.1CFM
Max. Spray Width mm	200-260
Spray Distance mm:	200
Capacity of Paint Cup ML/CC	400



## W-77S PRO

### SPECIFICATION

TYPE:	Suction
Nozzle Size mm:	1.5/2.0/2.5/3.0
Operating Pressure(PSI):	51
Air Consumption L/min:	190-400 6.7-14.1CFM
Max. Spray Width mm	190-250
Spray Distance mm:	200
Capacity of Paint Cup ML/CC	1000



## R2-R PRO

### SPECIFICATION

TYPE:	Gravity
Nozzle Size mm:	0.3/0.5
Operating Pressure(PSI):	29
Air Consumption L/min:	35/1.2CFM
Max. Spray Width mm	100
Spray Distance mm:	25-40
Capacity of Paint Cup ML/CC	150



## R2-F PRO

### SPECIFICATION

TYPE:	Gravity
Nozzle Size mm:	0.5/0.8
Operating Pressure(PSI):	29
Air Consumption L/min:	35/1.2CFM
Max. Spray Width mm	100
Spray Distance mm:	60-80
Capacity of Paint Cup ML/CC	150





**W-71G**

Nozzle Size mm:	1.0/1.3/1.5/1.8
Air Pressure(PSI):	50
Capacity of Cup(ML):	400
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	47*39*37



**W-71S**

Nozzle Size mm:	1.5/2.0/2.5/3.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	1000
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	59.5*45*37.5



**W-77G**

Nozzle Size mm:	1.5/2.0/2.5/3.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	400
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	40*39.5*51



**W-77S**

Nozzle Size mm:	1.0/1.3/1.5/1.8
Air Pressure(PSI):	50
Capacity of Cup(ML):	400
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	40*39.5*51



**F75G**

Nozzle Size mm:	1.5
Air Pressure(PSI):	50
Capacity of Cup(ML):	400
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	40*39.5*51



**F75S**

Nozzle Size mm:	1.5
Air Pressure(PSI):	50
Capacity of Cup(ML):	750
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	40*39.5*51



**K3**

Nozzle Size mm:	0.5
Air Pressure(PSI):	50
Capacity of Cup(ML):	125
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	42*32*39



**F-2**

Nozzle Size mm:	0.5
Air Pressure(PSI):	50
Capacity of Cup(ML):	125
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	42*32*39



**WA**

ITEM.NO	Type	Nozzle size mm	Operating Pressure (PSI)	Air Consumption L/min	Spray Distance	Max. Spray Width
WA-101P	Pressure	0.8/1.0 1.3/1.5	42	90-330 3.2-11.7CFM	200	140-260
WA-200P	Pressure	1.2/1.5 2.0/2.5/3.0	42	330-530 11.7-18.7CFM	220	320-400



**ST**

ITEM.NO	Type	Nozzle size mm	Operating Pressure (PSI)	Air Consumption L/min	Max. Spray Width
ST-5	Pressure	0.5/1.0 1.3/2.0	42-57	60-140 2.1-4.9CFM	200-400
ST-6	Pressure	0.5/1.0 1.3/2.0	42-57	60-140 2.1-4.9CFM	200-400

**A100**



ITEM.NO	Type	Nozzle size mm	Operating Pressure (PSI)	Air Consumption L/min	Max. Spray Width
A100	Pressure	0.8/1.0/1.3	51	270-290 9.5-10.2CFM	190-220

# CONVENTIONAL SPRAY GUN



## CONVENTIONAL SPRAY GUN



### H827

Nozzle Size mm:	1.4/1.7/2.0/2.5/3.0
Air Pressure(PSI):	43
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	65.5*45.5*26.5



### H2001

Nozzle Size mm:	0.5/0.8/1.0
Air Pressure(PSI):	43
Capacity of Cup(ML):	125
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	38*36.5*24



### AB17G

Nozzle Size mm:	1.4/1.7/2.0
Air Pressure(PSI):	43
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	84.5*49*16



### AB17S

Nozzle Size mm:	1.4/1.7/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	1000
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	84.5*49*16



### 4001G

Nozzle Size mm:	1.4/1.7/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	77*23*30



### 4001S

Nozzle Size mm:	1.4/1.7/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	1000
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	57*38*32



### S990G

Nozzle Size mm:	1.3/1.5/1.8
Air Pressure(PSI):	50
Capacity of Cup(ML):	125
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	68.5*47.5*26



### S990S

Nozzle Size mm:	1.3/1.5/1.8
Air Pressure(PSI):	50
Capacity of Cup(ML):	750
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	56*36*54.5



## CONVENTIONAL SPRAY GUN



### E70

Nozzle Size mm:	1.6/1.8/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	57*31*41



### G70

Nozzle Size mm:	1.6/1.8/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	1000
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	57*31*41

## CONVENTIONAL SPRAY GUN

## SANDBLAST GUNS



### 626

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	51*42*30



### PS2

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	61*37*30



### FR300

Nozzle Size mm:	4/6/8
Air Pressure(PSI):	50
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	74*50*35



### FR301

Nozzle Size mm:	4/6/8
Air Pressure(PSI):	50
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	74*50*35



### PS5

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	57*24*38



### PS8

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	58*27*48

## AIR BLOWING GUNS



### DG10

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	76*38*22



### DG10B

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	46*30*31

## AIRBRUSH PAINT GUN



### ABS-128

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	47*39*37



### ABS-130

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	59.5*45*37.5

## TYRE INFLATING GUNS



### G60

Air Pressure(PSI):	/
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	63*33*32



### TG4

Air Pressure(PSI):	/
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	63*33*32

## PARAFFIN WASHING GUNS



### G010

Air Pressure(PSI):	/
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	55*41*42



### D060

Air Pressure(PSI):	/
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	55*41*42

# SPRAY GUN KIT

## ALUMINUM CASES



### Spray gun Cases

#### PAL-01

PORPHIS case, size (37 x 55 x 17 cm),with "PRD,PHS,PA225G,PA-215,PB-315,PD,PC";incl. inserts for 4 spray guns; A air regulator;Work kits;Material:Aluminum



#### PAL-02

PORPHIS case, size (28 x 33 x 13 cm),with "PRD-62,PRD-51,";incl.inserts for 1 spray guns ;A air regulator;Work kits;A MPS adapter;Material:Aluminum



#### PAL-03

PORPHIS case, size (25 x 32 x 14 cm),with "PHS-135";incl.inserts for 1 spray guns;A air regulator;Work kits;Material:Aluminum



#### PAL-04

PORPHIS case, size (32 x 25 x 14 cm),with "PHS-135";incl.inserts for 1 spray guns;A air regulator;Work kits;Material:Aluminum





# SPRAY GUN KIT

## PLASTIC CASES



### Spray gun Plastic Cases Customizable

#### PPLS-01

PORPHIS case, size (43 x 35 x 19 cm) Material: Plastic, with TWO professional spray gun; A tool kit, Meet your diverse paint schemes



#### PPLS-02

PORPHIS case, size (41.5 x 32.5 x 14 cm) Material: Plastic, with A professional spray gun; A tool kit, Optional: air regulator, MPS connector, Air cap Nozzle&needle



#### PPLS-03

PORPHIS case, size (36 x 29 x 14 cm) Material: Plastic, with A professional spray gun; A tool kit, Optional: air regulator, MPS connector



#### PPLS-04

PORPHIS case, size (31.5 x 29 x 14 cm) Material: Plastic, with A professional spray gun; A tool kit, Optional: air regulator, MPS connector, Air cap Nozzle&needle



# SPRAY GUN ACCESSORIES

SPRAY GUN ACCESSORIES



## SPRAY GUN ACCESSORIES

# PAINT MIXING CUP



Outer box size 34\*26\*18cm

### 200ML

- Hard Cup **x1**
- Cup Sealing Plugs **x20**
- Disposable Cup Liners **x50**
- Disposable Inner Cups **x50**

Retainer Ring **x1**



### 400ML

- Hard Cup **x1**
- Cup Sealing Plugs **x20**
- Disposable Cup Liners **x50**
- Disposable Inner Cups **x50**

Retainer Ring **x1**



### 650ML

- Hard Cup **x1**
- Cup Sealing Plugs **x20**
- Disposable Cup Liners **x50**
- Disposable Inner Cups **x50**

Retainer Ring **x1**



### 800ML

- Hard Cup **x1**
- Cup Sealing Plugs **x20**
- Disposable Cup Liners **x50**
- Disposable Inner Cups **x50**

Retainer Ring **x1**





## PAINT CUPS



MADE IN TAIWAN

**PC-600T**

CAPACITY: 600ML  
MATERIAL: PLASTIC



**PC-600W**

CAPACITY: 600ML  
MATERIAL: PLASTIC



**PC-600B**

CAPACITY: 600ML  
MATERIAL: PLASTIC



**PC-150W**

CAPACITY: 150ML  
MATERIAL: PLASTIC



**SD-400S**

CAPACITY: 400ML  
MATERIAL: STAINLESS STEEL



**SD-400A**

CAPACITY: 400ML  
MATERIAL: ALUMINUM



**SUC-1000A**

CAPACITY: 1000ML  
MATERIAL: ALUMINUM



**SUC-600A**

CAPACITY: 600ML  
MATERIAL: ALUMINUM



**SUC-1000S**

CAPACITY: 1000ML  
MATERIAL: ALUMINUM

## CLEANING KIT

### 23 Piece Spray Gun Cleaning Kit with Case

- 1 pc long handled angle brush
- 1 pc long handled straight fiber brush
- 1 pc medium sized fiber brush
- 1 pc medium sized wire brush
- 5 pc fine fiber brushes
- 2 pc hobby knife holders
- 7 pc fine points
- 1 pc plastic handled brush
- 3 pc detail brushes
- 1 pc cleaning solution



CKG-23

### 17 Piece Spray Gun Cleaning Kit

- 3 PCS Black Nylon Tube Brushes
  - Large: 292mm X 11.1mm Dia X 100mm Working Length
  - Medium: 158mm X 10mm Dia X 57mm Working Length
  - Small: 158mm X 7.15mm Dia X 57mm Working Length
- 5 PCS Brush Set: Dia 2/2.5/3/4/5mm
- 6 PCS Needles: 9/10/11/12/13/14mm
- 1 PC Area Black Nylon Brush
- 1 PC Bristle Brush
- 225mmX10mm Dia X 82mm Working Length
- 1 PC Single Ended Brush With Plastic Handle
- Packing: Plastic Tube



CKP-17

### 17 Piece Spray Gun Cleaning Kit

- 3 PCS Black Nylon Tube Brushes
  - Large: 292mm X 11.1mm Dia X 100mm Working Length
  - Medium: 158mm X 10mm Dia X 57mm Working Length
  - Small: 158mm X 7.15mm Dia X 57mm Working Length
- 5 PCS Brush Set: Dia 2/2.5/3/4/5mm
- 6 PCS Needles: 9/10/11/12/13/14mm
- 1 PC Area Black Nylon Brush
- 1 PC Bristle Brush
- 225mmX10mm Dia X 82mm Working Length
- 1 PC Single Ended Brush With Plastic Handle
- Packing: Blister + Paper Card



CKB-17

## FILTER & REGULATOR



**PRF-01**

Pressure Rang: 10-120PSI  
Max Pressure: ≤140PSI  
Air inlet: G1/4"  
Qty Per Ctn(pcs): 100  
Carton size(mm) 40\*22\*23



**RF-02**

Pressure Rang: 14.5 PSI- 58.0 PSI  
Max Pressure: ≤140PSI  
Air inlet: G1/4"  
Qty Per Ctn(pcs): 100  
Carton size(mm) 81\*32\*23



**PRF-02**

Pressure Rang:10-120PSI  
 Max Pressure:≤140PSI  
 Air inlet:G1/4"  
 Qty Per Ctn(pcs):100  
 Carton size(mm)40\*22\*23



**MF-80**

Pressure Rang:10-120PSI  
 Max Pressure:≤140PSI  
 Air inlet:G1/4"  
 Qty Per Ctn(pcs):100  
 Carton size(mm)40\*22\*23



**PRO-FT**

Pressure Rang:0-140PSI  
 Max Pressure:≤140PSI  
 Air inlet:G1/4"  
 Qty Per Ctn(pcs):100  
 Carton size(mm)40\*22\*23



**PG-02**

Pressure Rang:10-120PSI  
 Max Pressure:≤140PSI  
 Air inlet:G1/4"  
 Qty Per Ctn(pcs):100  
 Carton size(mm)40\*22\*23



**PR-01**

Pressure Rang:10-120PSI  
 Max Pressure:≤140PSI  
 Air inlet:G1/4"  
 Qty Per Ctn(pcs):100  
 Carton size(mm)40\*22\*23



**AR-802**

Pressure Rang:10-120PSI  
 Max Pressure:≤140PSI  
 Air inlet:G1/4"  
 Qty Per Ctn(pcs):100  
 Carton size(mm)40\*70\*70

**SPRAY GUN STAND**



HD-101



HD-102



HD-103

**MPS ADAPTER**

ITEM.	PORPHIS MPS 1.0	PORPHIS MPS 3.0	Sagola 4400X-4500X	DeVilbiss	SATA	Anest Iwata	Sagola 3300G 4100G 4200G	Walcom, Prona, Alvalon
WEIGHT/g:15 1.0MPS CUPS ADAPTER:1.0 PORPHIS adapter (MPH-338)	●							
WEIGHT/g:51.6 3.0MPS CUPS ADAPTER:3.0 PORPHIS adapter		●						
WEIGHT/g:70.5 1.0MPS CUPS ADAPTER:1.0 PORPHIS adapter	●							
WEIGHT/g:51.6 3.0MPS CUPS ADAPTER:3.0 Sagola Male adapter			●					
WEIGHT/g:63.4 3.0MPS CUPS ADAPTER:3.0 Devilbiss Male adapter				●				
WEIGHT/g:45.2 3.0MPS CUPS ADAPTER:3.0 Iwata Male adapter						●		
WEIGHT/g:55.8 3.0MPS CUPS ADAPTER:3.0 Sagola Male adapter							●	
WEIGHT/g:63.4 3.0MPS CUPS ADAPTER:3.0 SATA adapter					●			
WEIGHT/g:51.2 3.0MPS CUPS ADAPTER:3.0 WALCOM Male adapter								●