

ZHEJIANG PORPHIS INTERNATIONAL TRADE CO., LTD

Add: Building 20B, Hongtaike Park, 889 Central Avenue, Jinqing
Town, Luqiao District, Taizhou City, Zhejiang Province

MT: +86 158 2452 7280

Tel: +86-0574-2885-388

WWW.PORPHIS.COM



PORPHIS

PAINTING THE FUTURE



www.porphis.com

3 mins


you will find that Porphis spray guns are more than just good looks.

KEY OF THE SYMBOLS USED:

-  **body shop**
-  **building**
-  **touch-up**
-  **decoration**
-  **industry**
-  **woodworking**
-  **D.I.Y.**
-  **paint type**


1

Break out of the shell system



2

Manufacturing process system




3

Quality management system




4


Digital informatim system



5

Permanent security system





ABOUT US


Zhejiang Porphis International Trade Co., Ltd. is the only international import and export trade platform established by Taizhou Chaotian Pneumatic Tools Co., Ltd. In recent years, based on product innovation and service as our purpose, we have insisted on developing an international brand road, and our independent brand "Porphis" has also emerged in the international market. With continuous establishment of deep business with many internationally renowned enterprises, we will continue to break through new stages!



• Factory



• Honorary Certificates



BRAND STORY

Our story began in 2008, when eight spray gun technicians, driven by a passion for quality and technology development, embarked on a journey to manufacture spray guns. Through our deep specialization in automotive refinishing and industrial coating, we established a strong presence in the Chinese spray gun market.

With a commitment to technological exchange, the need was felt to open the company to the international market for resonate with more professional partners, leading to the birth of the Porphis brand.

We pay attention to the changing market demands and listen to user's feedback. Establishing a data-driven information collection system is the foundation of our continuous R&D efforts, enabling us to consistently update our products and better serve our partners.



Philosophy:

Committed to advancing spray technology while minimizing environmental impact and enhancing the user experience



Positioning:

One-Stop Spray Gun Supplier



Vision:

Painting the future Porphis spray guns lead the way



Mission:

Eliminating the Prejudices Associated with Chinese Manufacturing

CONTENTS

<p>> 01 AUTOMOTIVE REFINISHING SPRAY GUN</p> <ul style="list-style-type: none"> MINI SPRAY GUNS P01 PRD SPRAY GUNS P02-04 PHS SPRAY GUNS P05 PA/PB/PC/PD SPRAY GUNS P06-09 	<p>> 04 SPRAY GUN KIT</p> <ul style="list-style-type: none"> ALUMINUM CASES P20 PLASTIC CASES P21
<p>> 02 INDUSTRIAL SPRAY GUN</p> <ul style="list-style-type: none"> TOP QUALITY P10-14 COST-EFFECTIVE P15 AUTOMATIC SPRAY GUNS P16 	<p>> 05 SPRAY GUN ACCESSORIES</p> <ul style="list-style-type: none"> PAINT MIXING CUP P22 PAINT CUPS P23 CLEANING KIT P24 FILTER&REGULATOR P24-25 SPRAY GUN STAND P25 MPS ADAPTER P26
<p>> 03 CONVENTIONAL SPRAY GUN</p> <ul style="list-style-type: none"> ECONOMICAL HVLP SPRAY GUN P17 AIR BLOWING GUNS P18 TYRE INFLATING GUNS P18 SANDBLASTING GUNS P18 AIRBRUSH PAINT GUNS P19 PARAFFIN WASHING GUNS P19 	

AUTOMOTIVE REFINISHING SPRAY GUN

AUTOMOTIVE REFINISHING SPRAY GUN



HVLP MP LVLP VS



AUTOMOTIVE REFINISHING SPRAY GUN



MINI SPRAY GUN MPH-338

L.V.L.P SPARY GUN

FEATURE



- Gun body design is more ergonomic, wider handle. better hand feeling
- The newly added needle tightening screw design allows for quick locking of fluid volume. It takes only 1.2 turns to fully open the spray pattern.
- Precision-machined needle&nozzle and trigger are made of high-grade stainless steel; Patented needle packing nut set for extended service life
- Utilizing LVLP technology, reduce the overspray, save much paint. Various nozzle sizes can be selected for fine atomization.







SPECIFICATION

ITEM.NO	
Type	Gravity
Nozzle size mm	0.5/0.8/1.0
Capacity(ML)	250
Operating Pressure (PSI)	15~22
Air Consumption L/min	160l/min 5.7CFM
Fluid Consumption ml/min	35/55/75



PRD-71

-  Wide Pattern
-  2-FINGER TRIGGER
-  High Grade S.S Tip & Needle
-  Waterborne Compatible



FEATURE

- Can be used for water-based paint. Better for clearcoat and basecoat. Spray fast, improve work efficiency
- Forged gun body. Needle & Nozzle, fluid passage, trigger are all stainless steel
- Stainless steel swivel air inlet connector, anti-tangling, durable
- Patented precision fluid adjustment design
- Patented fluid packing nut set & Updated air valve structure provides better sealing and smooth trigger operation

ATOMIZATION AREA



SPECIFICATION





ITEM.N	PRD-715	PRD-716	PRD-717
Type	HVLP	MP	VS
Nozzle size mm	1.3/1.4	1.3	1.3/1.4
Operating Pressure (PSI)	22-32	23-32	8-29
Air Consumption L/min	290/10.5 CFM	430/15.2 CFM	430/15.2 CFM
Fluid Consumption ml/min	215	190	175
Spray Distance mm	180	170	130-150
Spray Pattern mm	260-300	260-290	260-350



Color



PRD-62


-  Wide Pattern
-  2-FINGER TRIGGER
-  High Grade S.S Tip & Needle
-  Waterborne Compatible



FEATURE

- Designed for premium automotive paints, water-based and solvent-based paints
- Forged gun body. Needle & Nozzle, fluid passage, trigger are all stainless steel
- Stainless steel swivel air inlet connector, anti-tangling, durable
- Patented appearance design
- Patented Air-Valve integrated structure & Patented fluid packing nut set provides better sealing & well operated

ATOMIZATION AREA



SPECIFICATION

ITEM.NO	PRD-625	PRD-626	PRD-627
Type	MP	HVLP	VS
Nozzle size mm	1.3/1.4	1.3	1.3/1.4
Operating Pressure (PSI)	22-32	23-32	8-29
Air Consumption L/min	290/10.5 CFM	430/15.2 CFM	430/15.2 CFM
Fluid Consumption ml/min	215	190	175
Spray Distance mm	180	170	130-150
Spray Pattern mm	260-300	260-290	260-350



Color



PRD-51

- Wide Pattern
- 2-FINGER TRIGGER
- High Grade S.S Tip & Needle
- Waterborne Compatible

PRD-510 Replaceable PRD-515




Color



FEATURE

- Patented Variable Fluid Flow Technology. Conveniently switch between MP spray gun and LVL touch-up spray gun as needed
- Designed for premium automotive paints, water-based and solvent-based paints
- Forged gun body. Needle & Nozzle, fluid passage, trigger are all stainless steel
- Stainless steel swivel air inlet connector, anti-tangling, durable
- Patented Air-Valve integrated structure provides better sealing & well operated

ATOMIZATION AREA



SPECIFICATION

ITEM.NO	PRD-510	PRD-515
Type	LVL	MP
Nozzle size mm	0.8/1.0	1.3/1.4/1.6/1.8
Operating Pressure (PSI)	15-22	23-32
Air Consumption L/min	160/5.7 CFM	230/10.5 CFM
Fluid Consumption ml/min	60	215-290
Spray Distance mm	120-150	180
Spray Pattern mm	120-200	260-300



OPTIONAL

PHS-155

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.4/1.6/1.8
Operating Pressure(BAR/PSI):	23-31
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	230-240
Spray Distance mm:	180
Spray Pattern mm:	210-250/230-270



OPTIONAL

PHS-135

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6/1.8/2.0/2.5
Operating Pressure(BAR/PSI):	23-31
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	200/225/275
Spray Distance mm:	180
Spray Pattern mm:	230-260/240-280



PA-225G

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6/1.8/2.0
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	175
Spray Distance mm:	180
Spray Pattern mm:	280



PA-225S

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6/1.8/2.0
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	165
Spray Distance mm:	180
Spray Pattern mm:	280



PA-215

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.5CFM
Fluid Consumption ml/min:	205/255
Spray Distance mm:	180
Spray Pattern mm:	280/290



PB-315

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3/1.6/1.8/2.0
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.5CFM
Fluid Consumption ml/min:	205/255/300
Spray Distance mm:	180
Spray Pattern mm:	280/290



PC-415

SPECIFICATION

TYPE:	MP/HVLP
Nozzle Size mm:	1.3
Operating Pressure(BAR/PSI):	22-32
Air Consumption L/min:	430/15.2CFM 290/10.5CFM
Fluid Consumption ml/min:	190/215
Spray Distance mm:	170/180
Spray Pattern mm:	260-300



PX-6

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3
Operating Pressure(BAR/PSI):	23-29
Air Consumption L/min:	290/10.5CFM
Fluid Consumption ml/min:	205/255/300
Spray Distance mm:	150-210
Spray Pattern mm:	280-320



PD-115

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	205
Spray Distance mm:	180
Spray Pattern mm:	280



PD-125

SPECIFICATION

TYPE:	MP
Nozzle Size mm:	1.3
Operating Pressure(BAR/PSI):	23-32
Air Consumption L/min:	290/10.2CFM
Fluid Consumption ml/min:	205
Spray Distance mm:	180
Spray Pattern mm:	280

INDUSTRIAL SPRAY GUN

INDUSTRIAL SPRAY GUN

WP99 Seires High-performance industrial

All can be used with a pressure pot and diaphragm pump

The gun is small, light, compact and simple.

W-101G



W-101S



FEATURE

- Balanced, lightweight gun body
- VOC-compliant, significantly more than 65% efficiency
- Linear fan adjustment precise control and responsive fineadjustment
- Air valve seat set patent structure with a solvent resistantsealing



ATOMIZATION AREA



C-type pattern

SPECIFICATION

ITEM.NO	W-101G	W-101S	W-101P
Type	Gravity	Suction	Pressure
Nozzle size mm	0.8/1.0 1.3/1.5/1.8	0.8/1.0 1.3/1.5/1.8	0.8/1.0 1.3/1.5
Operating Pressure (PSI)	36	36	36
Air Consumption L/min	75-225 2.6-7.9CFM	75-225 2.6-7.9CFM	75-225 2.6-7.9CFM
Spray Width mm	100-175	100-175	190-240
Application	Light industry,hob. by Automotive refinishing, Wood and furniture,met. als,plastics	Light industry,hob. by Automotive refinishing, Wood and furniture,met. als,plastics	Car OEM,Wood and furniture,met. als,plastics, medium-vis. cosity paints

WP99-G



FEATURE

- Large and uniform flat & thin spray pattern
- Available with split nozzle technology
- VOC-compliant, significantly more than 65% efficiency
- Linear fan adjustment precise control and responsive fineadjustment
- Air valve seat set patent structure with a solvent resistantsealing



ATOMIZATION AREA



V-type pattern



C-type pattern

SPECIFICATION

ITEM.NO	WP99-P	WP99-G	WP99-S	WP99-V
Type	Pressure	Gravity	Suction	Gravity
Nozzle size mm	1.0/1.2/1.3	1.5/1.8 2.0/2.5	1.5/1.8 2.0/2.5	1.3/1.4
Operating Pressure (PSI)	42	42	42	22-29
Air Consumption L/min	450-500 15.9-17.7CFM	290-320 10.2-11.3CFM	330-360 11.7-12.7CFM	370 13.1CFM
Fluid Consumption ml/min	160-500	250-510	240-440	195-200
Spray Width mm	300-400	270-310	260-295	320
Application	Large parts and vehi. cles, line painting	Automotive refinishing, wood and furniture, plastic	Metals, wood, furniture, and medium-vis. cosity paints	Automotive repairing, waterborne paint, silver paint, high-viscosity paint



W-71G PRO

SPECIFICATION

TYPE:	Gravity
Nozzle Size mm:	1.0/1.3/1.5/1.8
Operating Pressure(PSI):	51
Air Consumption L/min:	75-220 2.6-7.8CFM
Max. Spray Width mm	120-180
Spray Distance mm:	200
Capacity of Paint Cup ML/CC	400



W-71S PRO

SPECIFICATION

TYPE:	Suction
Nozzle Size mm:	1.0/1.3/1.5/1.8
Operating Pressure(PSI):	51
Air Consumption L/min:	75-230 2.6-8.1CFM
Max. Spray Width mm	100-170
Spray Distance mm:	200
Capacity of Paint Cup ML/CC	600



W-77G PRO

SPECIFICATION

TYPE:	Gravity
Nozzle Size mm:	1.5/2.0/2.5/3.0
Operating Pressure(PSI):	51
Air Consumption L/min:	190-400 6.7-14.1CFM
Max. Spray Width mm	200-260
Spray Distance mm:	200
Capacity of Paint Cup ML/CC	400



W-77S PRO

SPECIFICATION

TYPE:	Suction
Nozzle Size mm:	1.5/2.0/2.5/3.0
Operating Pressure(PSI):	51
Air Consumption L/min:	190-400 6.7-14.1CFM
Max. Spray Width mm	190-250
Spray Distance mm:	200
Capacity of Paint Cup ML/CC	1000



R2-R PRO

SPECIFICATION

TYPE:	Gravity
Nozzle Size mm:	0.3/0.5
Operating Pressure(PSI):	29
Air Consumption L/min:	35/1.2CFM
Max. Spray Width mm	100
Spray Distance mm:	25-40
Capacity of Paint Cup ML/CC	150



R2-F PRO

SPECIFICATION

TYPE:	Gravity
Nozzle Size mm:	0.5/0.8
Operating Pressure(PSI):	29
Air Consumption L/min:	35/1.2CFM
Max. Spray Width mm	100
Spray Distance mm:	60-80
Capacity of Paint Cup ML/CC	150



W-71G

Nozzle Size mm:	1.0/1.3/1.5/1.8
Air Pressure(PSI):	50
Capacity of Cup(ML):	400
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	47*39*37



W-71S

Nozzle Size mm:	1.5/2.0/2.5/3.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	1000
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	59.5*45*37.5



W-77G

Nozzle Size mm:	1.5/2.0/2.5/3.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	400
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	40*39.5*51



W-77S

Nozzle Size mm:	1.0/1.3/1.5/1.8
Air Pressure(PSI):	50
Capacity of Cup(ML):	400
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	40*39.5*51



F75G

Nozzle Size mm:	1.5
Air Pressure(PSI):	50
Capacity of Cup(ML):	400
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	40*39.5*51



F75S

Nozzle Size mm:	1.5
Air Pressure(PSI):	50
Capacity of Cup(ML):	750
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	40*39.5*51



K3

Nozzle Size mm:	0.5
Air Pressure(PSI):	50
Capacity of Cup(ML):	125
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	42*32*39



F-2

Nozzle Size mm:	0.5
Air Pressure(PSI):	50
Capacity of Cup(ML):	125
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	42*32*39



WA

ITEM.NO	Type	Nozzle size mm	Operating Pressure (PSI)	Air Consumption L/min	Spray Distance	Max. Spray Width
WA-101P	Pressure	0.8/1.0 1.3/1.5	42	90-330 3.2-11.7CFM	200	140-260
WA-200P	Pressure	1.2/1.5 2.0/2.5/3.0	42	330-530 11.7-18.7CFM	220	320-400



ST

ITEM.NO	Type	Nozzle size mm	Operating Pressure (PSI)	Air Consumption L/min	Max. Spray Width
ST-5	Pressure	0.5/1.0 1.3/2.0	42-57	60-140 2.1-4.9CFM	200-400
ST-6	Pressure	0.5/1.0 1.3/2.0	42-57	60-140 2.1-4.9CFM	200-400



A100

ITEM.NO	Type	Nozzle size mm	Operating Pressure (PSI)	Air Consumption L/min	Max. Spray Width
A100	Pressure	0.8/1.0/1.3	51	270-290 9.5-10.2CFM	190-220

CONVENTIONAL SPRAY GUN



CONVENTIONAL SPRAY GUN



H827

Nozzle Size mm:	1.4/1.7/2.0/2.5/3.0
Air Pressure(PSI):	43
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	65.5*45.5*26.5



H2001

Nozzle Size mm:	0.5/0.8/1.0
Air Pressure(PSI):	43
Capacity of Cup(ML):	125
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	38*36.5*24



AB17G

Nozzle Size mm:	1.4/1.7/2.0
Air Pressure(PSI):	43
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	84.5*49*16



AB17S

Nozzle Size mm:	1.4/1.7/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	1000
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	84.5*49*16



4001G

Nozzle Size mm:	1.4/1.7/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	77*23*30



4001S

Nozzle Size mm:	1.4/1.7/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	1000
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	57*38*32



S990G

Nozzle Size mm:	1.3/1.5/1.8
Air Pressure(PSI):	50
Capacity of Cup(ML):	125
Feed type:	Gravity
Air Inlet:	G1/4'
Carton size(cm):	68.5*47.5*26



S990S

Nozzle Size mm:	1.3/1.5/1.8
Air Pressure(PSI):	50
Capacity of Cup(ML):	750
Feed type:	Suction
Air Inlet:	G1/4'
Carton size(cm):	56*36*54.5



E70

Nozzle Size mm:	1.6/1.8/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	57*31*41



G70

Nozzle Size mm:	1.6/1.8/2.0
Air Pressure(PSI):	50
Capacity of Cup(ML):	1000
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	57*31*41

SANDBLAST GUNS



626

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	51*42*30



PS2

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	61*37*30



FR300

Nozzle Size mm:	4/6/8
Air Pressure(PSI):	50
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	74*50*35



FR301

Nozzle Size mm:	4/6/8
Air Pressure(PSI):	50
Capacity of Cup(ML):	600
Feed type:	Gravity
Air Inlet:	G1/4"
Carton size(cm):	74*50*35



PS5

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	57*24*38



PS8

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	58*27*48

AIR BLOWING GUNS



DG10

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	76*38*22



DG10B

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	46*30*31

AIRBRUSH PAINT GUN



ABS-128

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	47*39*37



ABS-130

Nozzle Size mm:	/
Air Pressure(PSI):	50
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	59.5*45*37.5

TYRE INFLATING GUNS



G60

Air Pressure(PSI):	/
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	63*33*32



TG4

Air Pressure(PSI):	/
Feed type:	/
Air Inlet:	G1/4"
Carton size(cm):	63*33*32

PARAFFIN WASHING GUNS



G010

Air Pressure(PSI):	/
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	55*41*42



D060

Air Pressure(PSI):	/
Feed type:	Suction
Air Inlet:	G1/4"
Carton size(cm):	55*41*42

SPRAY GUN KIT

ALUMINUM CASES



Spray gun Cases

PAL-01

PORPHIS case, size (37 x 55 x 17 cm),with "PRD,PHS,PA225G,PA-215,PB-315,PD,PC";incl. inserts for 4 spray guns; A air regulator;Work kits;Material:Aluminum



PAL-02

PORPHIS case, size (28 x 33 x 13 cm),with "PRD-62,PRD-51,";incl.inserts for 1 spray guns ;A air regulator;Work kits;A MPS adapter;Material:Aluminum



PAL-03

PORPHIS case, size (25 x 32 x 14 cm),with "PHS-135";incl.inserts for 1 spray guns;A air regulator;Work kits;Material:Aluminum



PAL-04

PORPHIS case, size (32 x 25 x 14 cm),with "PHS-135";incl.inserts for 1 spray guns;A air regulator;Work kits;Material:Aluminum



SPRAY GUN KIT

PLASTIC CASES



Spray gun Plastic Cases Customizable

PPLS-01

PORPHIS case, size (43 x 35 x 19 cm) Material: Plastic, with TWO professional spray gun; A tool kit, Meet your diverse paint schemes



PPLS-02

PORPHIS case, size (41.5 x 32.5 x 14 cm) Material: Plastic, with A professional spray gun; A tool kit, Optional: air regulator, MPS connector, Air cap Nozzle&needle



PPLS-03

PORPHIS case, size (36 x 29 x 14 cm) Material: Plastic, with A professional spray gun; A tool kit, Optional: air regulator, MPS connector



PPLS-04

PORPHIS case, size (31.5 x 29 x 14 cm) Material: Plastic, with A professional spray gun; A tool kit, Optional: air regulator, MPS connector, Air cap Nozzle&needle



SPRAY GUN ACCESSORIES

SPRAY GUN ACCESSORIES



SPRAY GUN ACCESSORIES

PAINT MIXING CUP



Outer box size 34*26*18cm

200ML

- Hard Cup **x1**
- Cup Sealing Plugs **x20**
- Disposable Cup Liners **x50**
- Disposable Inner Cups **x50**

Retainer Ring **x1**



400ML

- Hard Cup **x1**
- Cup Sealing Plugs **x20**
- Disposable Cup Liners **x50**
- Disposable Inner Cups **x50**

Retainer Ring **x1**



650ML

- Hard Cup **x1**
- Cup Sealing Plugs **x20**
- Disposable Cup Liners **x50**
- Disposable Inner Cups **x50**

Retainer Ring **x1**



800ML

- Hard Cup **x1**
- Cup Sealing Plugs **x20**
- Disposable Cup Liners **x50**
- Disposable Inner Cups **x50**

Retainer Ring **x1**



PAINT CUPS



MADE IN TAIWAN

PC-600T

CAPACITY: 600ML
MATERIAL: PLASTIC



PC-600W

CAPACITY: 600ML
MATERIAL: PLASTIC



PC-600B

CAPACITY: 600ML
MATERIAL: PLASTIC



PC-150W

CAPACITY: 150ML
MATERIAL: PLASTIC



SD-400S

CAPACITY: 400ML
MATERIAL: STAINLESS STEEL



SD-400A

CAPACITY: 400ML
MATERIAL: ALUMINUM



SUC-1000A

CAPACITY: 1000ML
MATERIAL: ALUMINUM



SUC-600A

CAPACITY: 600ML
MATERIAL: ALUMINUM



SUC-1000S

CAPACITY: 1000ML
MATERIAL: ALUMINUM

CLEANING KIT

23 Piece Spray Gun Cleaning Kit with Case

- 1 pc long handled angle brush
- 1 pc long handled straight fiber brush
- 1 pc medium sized fiber brush
- 1 pc medium sized wire brush
- 5 pc fine fiber brushes
- 2 pc hobby knife holders
- 7 pc fine points
- 1 pc plastic handled brush
- 3 pc detail brushes
- 1 pc cleaning solution



CKG-23

17 Piece Spray Gun Cleaning Kit

- 3 PCS Black Nylon Tube Brushes
 - Large: 292mm X 11.1mm Dia X 100mm Working Length
 - Medium: 158mm X 10mm Dia X 57mm Working Length
 - Small: 158mm X 7.15mm Dia X 57mm Working Length
- 5 PCS Brush Set: Dia 2/2.5/3/4/5mm
- 6 PCS Needles: 9/10/11/12/13/14mm
- 1 PC Area Black Nylon Brush
- 1 PC Bristle Brush
- 225mmX10mm Dia X 82mm Working Length
- 1 PC Single Ended Brush With Plastic Handle
- Packing: Plastic Tube



CKP-17

17 Piece Spray Gun Cleaning Kit

- 3 PCS Black Nylon Tube Brushes
 - Large: 292mm X 11.1mm Dia X 100mm Working Length
 - Medium: 158mm X 10mm Dia X 57mm Working Length
 - Small: 158mm X 7.15mm Dia X 57mm Working Length
- 5 PCS Brush Set: Dia 2/2.5/3/4/5mm
- 6 PCS Needles: 9/10/11/12/13/14mm
- 1 PC Area Black Nylon Brush
- 1 PC Bristle Brush
- 225mmX10mm Dia X 82mm Working Length
- 1 PC Single Ended Brush With Plastic Handle
- Packing: Blister + Paper Card



CKB-17

FILTER & REGULATOR



PRF-01

Pressure Rang: 10-120PSI
Max Pressure: ≤140PSI
Air inlet: G1/4"
Qty Per Ctn(pcs): 100
Carton size(mm) 40*22*23



RF-02

Pressure Rang: 14.5 PSI- 58.0 PSI
Max Pressure: ≤140PSI
Air inlet: G1/4"
Qty Per Ctn(pcs): 100
Carton size(mm) 81*32*23



PRF-02

Pressure Rang:10-120PSI
 Max Pressure:≤140PSI
 Air inlet:G1/4"
 Qty Per Ctn(pcs):100
 Carton size(mm)40*22*23



MF-80

Pressure Rang:10-120PSI
 Max Pressure:≤140PSI
 Air inlet:G1/4"
 Qty Per Ctn(pcs):100
 Carton size(mm)40*22*23



PRO-FT

Pressure Rang:0-140PSI
 Max Pressure:≤140PSI
 Air inlet:G1/4"
 Qty Per Ctn(pcs):100
 Carton size(mm)40*22*23



PG-02

Pressure Rang:10-120PSI
 Max Pressure:≤140PSI
 Air inlet:G1/4"
 Qty Per Ctn(pcs):100
 Carton size(mm)40*22*23



PR-01

Pressure Rang:10-120PSI
 Max Pressure:≤140PSI
 Air inlet:G1/4"
 Qty Per Ctn(pcs):100
 Carton size(mm)40*22*23



AR-802

Pressure Rang:10-120PSI
 Max Pressure:≤140PSI
 Air inlet:G1/4"
 Qty Per Ctn(pcs):100
 Carton size(mm)40*70*70

SPRAY GUN STAND



HD-101












HD-102



HD-103

MPS ADAPTER

ITEM.	PORPHIS MPS 1.0	PORPHIS MPS 3.0	Sagola 4400X-4500X	DeVilbiss	SATA	Anest Iwata	Sagola 3300G 4100G 4200G	Walcom, Prona, Alvalon
 WEIGHT/g:15 1.0MPS CUPS ADAPTER:1.0 PORPHIS adapter (MPH-338)	●							
 WEIGHT/g:51.6 3.0MPS CUPS ADAPTER:3.0 PORPHIS adapter		●						
 WEIGHT/g:70.5 1.0MPS CUPS ADAPTER:1.0 PORPHIS adapter	●							
 WEIGHT/g:51.6 3.0MPS CUPS ADAPTER:3.0 Sagola Male adapter			●					
 WEIGHT/g:63.4 3.0MPS CUPS ADAPTER:3.0 Devilbiss Male adapter				●				
 WEIGHT/g:45.2 3.0MPS CUPS ADAPTER:3.0 Iwata Male adapter						●		
 WEIGHT/g:55.8 3.0MPS CUPS ADAPTER:3.0 Sagola Male adapter							●	
 WEIGHT/g:63.4 3.0MPS CUPS ADAPTER:3.0 SATA adapter					●			
 WEIGHT/g:51.2 3.0MPS CUPS ADAPTER:3.0 WALCOM Male adapter								●